

Delivering Performancewith the S.CS X-TOUGH EcoFIX

IAA Pre-Press Conference – 13th June, 2024





Schmitz Cargobull EcoGeneration

Ø

Efficient in practice









Schmitz Cargobull EcoGeneration

Sustainability in use

The Schmitz Cargobull offer:

- Height-adjustable rear end for reduced air resistance of the S.CS* curtainsider
- Fuel savings of up to 10% in customer operations
- Familiar workflow to move the vehicle from the 'eco' position to the volume position
- Full transport capacity for trailers
- Every trailer equipped with TPMS sensors and TrailerConnect ® control unit as standard



* Except EcoFIX (fixed aerodynamic body)



EcoGeneration – Rethinking sustainability



Calculation model - save costs & protect the environment





EcoGeneration
Fuel-Saving*

5%

km/year in Eco Mode

50%



Fuel-Saving in litre **840**



CO2 savings in t/year 2.2t



Fuel + CO2 Savings/year €1,746






Savings over 4 years of operation

€6,984 | 8.8t

Calculation:

Mileage/year 120,000
Consumption in I / 100km 28
Consumption in I / year 33,600
Fuel costs in € 2.00
Operating time in years 4 CO_2 / Liter Diesel 2.6 CO_2 Cost per tonne in € (from 01.01.22) 30



Curtainsider S.CS X-TOUGH

Heavy Duty – Galvanised – Easy to repair – Award winning

- Designed for high-frequency rear-loading with heavy forklift
- Bending and torsion-resistant X-TOUGH chassis galvanised, bolted - easy to maintain with a 10-year warranty against rusting through
- Ideal for countries with gross weights ≥ 44t
- High body strength certified in accordance with
 DIN EN 12642 Code XL, optionally with beverage certificate and DL Directive 9.5



X-TOUGH | Heavy Duty as standard

Heavy Duty requirements with a high frequency of rear loading





Countries with special conditions >44t

countries =< 40t GW



X-TOUGH | Benefits

ROBUST AND TOUGH:

with well known galvanised surface

X-TOUGH superstructure ensures very high bending and torsion resistance through the crossmember chassis.

- Reduction of downtime by avoiding chassis damage because of heavy duty loading conditions
- Higher residual value
- Sustainable strong floor w/o use of Hardwood
- Lower spare parts and repair costs due to less damage

HIGHEST FLOOR STABILITY:

Excellent stability through the 30mm Plywood floor.

Designed for high frequency heavy forklift entrances.

- One floor all in keeping flexibility
- Reduction of downtime by avoiding floor damage because of heavy and high frequency rear loadings
- Lower spare parts and repair costs due to less damage

MODULAR DESIGN & BOLTED TECHNOLOGY:

Uses standard components for the most parts.

- Easy to use standard spare Parts
 - = reduction of downtime
- Same handling

Sustainability in practice

Create further possibilities to decrease fuel consumption with EcoPack

- Spacious aerodynamic storage box with pull-out drawer
- Saves up to 3% fuel due to the aerodynamic design
- Quick and easy opening from both sides
- Surface protected against rust
- Clever storage
 - Protected equipment
 - Easy access
 - Storage which is used in standard anyway











Ferry package for more protection

Optimised protection of the trailer

- Optimised protection front frame
- Updated ferry rear underrun bar protection to conform to new regulations
- High durability
- Easy to maintain
- Robust and galvanised









LED internal light

For more light in the interior

- Uses the truck's power supply
- Even when it is dark outside, it is as bright as day inside the trailer
- Increased safety for the driver thanks to good visibility in the trailer
- Simple operation via switch on the front wall
- Can also be used when the roof is open





INOX Box

Storage in Schmitz Cargobull design and high quality

- Schmitz Cargobull INOX Box offers a suitable solution both as a food box and for load securing equipment
- Stainless steel prevents rusting through
- Contents of the box are secured with a lock
- Also available with water tank and stove holder





