



Delivering Performance with the S.CF

IAA Pre-Press Conference – 13th June, 2024

**Robust and flexible: easy transport by road
and rail - durable and payload-optimised
transport solution.**



Product portfolio Intermodal S.CF


Our 4 semi-trailer Container Chassis with Facelift 2024



S.CF Allround	✓	S.CF DOCK+	✓
S.CF DOCK	✗	S.CF LIGHT	✗



S.CF Allround	✓	S.CF DOCK+	✓
S.CF DOCK	✗	S.CF LIGHT	✗




S.CF Allround	✓	S.CF DOCK+	✗
S.CF DOCK	✗	S.CF LIGHT	✗



S.CF Allround	✓	S.CF DOCK+	✓
S.CF DOCK	✓	S.CF LIGHT	✗



S.CF Allround	✓	S.CF DOCK+	✓
S.CF DOCK	✓	S.CF LIGHT	✗



S.CF Allround	✓	S.CF DOCK+	✗
S.CF DOCK	✗	S.CF LIGHT	✗



S.CF Allround	✓	S.CF DOCK+	✓
S.CF DOCK	✓	S.CF LIGHT	✗



S.CF Allround	✓	S.CF DOCK+	✓
S.CF DOCK	✓	S.CF LIGHT	✓



S.CF Allround	✓	S.CF DOCK+	✗
S.CF DOCK	✗	S.CF LIGHT	✓

S.CF Allround 20-45



The universal chassis for all containers up to 45'

S.CF DOCK 20/40



The practice-optimised alternative for 20' and 40' containers

S.CF DOCK+ 20-40



All-rounder for all containers up to 40'

S.CF LIGHT 40/45




More payload for your standardised traffic with 40' and 45' containers

S.CF Allround 20-45

Product information

- **Flexible:** Prepared for **20' to 45'** containers with tunnel
- **Practical:** Pneumatic rear extension, mechanical front extension
- **Seaworthy:** 2 pairs of ferry lashings
- Second king pin position for 3-axle-trucks
- **Optional:**
 - Locking mechanism for 40' and 45' containers without tunnel
 - Genset ex works



S.CF DOCK 20/40

Product information


- **Practice-optimised** alternative for **20'** and **40'** containers
- With **rear extension**; no front extension
- **Expandable:** Optional locking mechanism for 40' containers without tunnel
- **User-friendly:** Pneumatic rear extension with mechanical locking mechanism
- **Practical:** Container positioned flush with rear, no offset



S.CF DOCK+ 20-40

Product information


- **Flexible:** Prepared for **20' to 40'** containers
- **Optional:** locking mechanism for 40' containers without tunnel
- **User-friendly:** Pneumatic rear extension with mechanical locking mechanism
- **Practical:** Container positioned flush with rear, no offset
- **Special features** compared with Dock 20/40:
 - Prepared for 30' container
 - 20' Container in middle position for better weight distribution



S.CF LIGHT 40/45

Product information

- Equipped for **40' and 45'** as a standard
- **More payload:** Unloaden weight of 4,250 kg
- **Robust:** Optimised for payload and weight, diagonally braced frame
- **Economical:** Easy operation, low maintenance, high availability
- **With certificate of exemption:**
The S.CF LIGHT 40-45 also carries 45' containers with a short tunnel or straight edges



New facelift and names

Practical names

- S.CF EURO → S.CF Allround 20-45
- S.CF LX → S.CF DOCK 20/40
- S.CF MX → S.CF DOCK+ 20-40
- S.CF EURO LIGHT → S.CF LIGHT 40/45



New underride guard



Group parts




100% SMART incl. TPMS



Pictograms

Modern and innovative

Self-explaining pictograms that optimally illustrate the use of the S.CF from the customer's point of view. **The loading plan guides the operator** through colours, numbers and letters to the locking points **depending on the needed container position**. The operator can watch additional **explanation videos via the QR codes**.




S.CF ALLROUND 20-45
Container loading plan

1517864



Genset

External power supply of refrigerated containers



- **Premium brand** Genmark B.V.
- European wide **service partner network**
- 2.2l /h and 380V output
- 15 kW power
- Over 60 hours self-sufficient operation (130l tank)



- Special Design for our S.CF Allround
 - ~ 30cm **ground clearance**
 - **Protected against damage** (2 cm space between top of Genset and long beam)
- **Delivery ex works**

Benefits

S.CF – in Schmitz Cargobull Quality

- **Galvanised** – best surface treatment, no corrosion
- **Customised** - solutions fitting for most use cases
- **Genset** – best ground clearance (~ 30 cm)
- **Reliable attachment parts** – Schmitz Cargobull concern parts
- **Designed in Germany** - product support, further development, design and construction
- Huge Europe-wide service **partner network**
- **100% Smart** – all telematics data are available in TrailerConnect® portal
- **TrailerConnect® Tyre pressure monitoring system**
- **Aftersales** - large service partner network, availability in 24h

